
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Wholesale Trade-List

SOUTHW **NURSERIES**

LOCATION.

I am situated on the line of the New Haven & Northampton division of the N. Y., N. H. & H. R. R., 5 miles south of Westfield, Mass., junction of the Boston & Albany R. R.; 100 miles west of Boston, and 100 miles north of New York.

Goods by express reach New York within five hours after shipment, and the cost of carriage to all points from here is comparatively light. Freight goes through to New York without

change.

TERMS.

Prices are in American money. 5 at 10 rates, 50 at 100 rates, 500 at 1,000 rates. Packing at

One dollar is equal in value to a trifle more than four English shillings, four German marks,

All bills will be due upon receipt of goods, unless by special agreements. Unknown parties should give good references.

Remit by draft on New York, or by Post Office Order on Southwick, Mass. Foreign Remittances by International Post Office Orders on Westfield, Mass.

The packing season commences as soon as the plants can be got at in spring, about April 10, and lasts about six weeks, and in autumn as soon as the plants are ripe, mostly from September

until December. Address all communications to

EDWARD GILLETT.

SOUTHWICK, MASS., U. S. A.

CONTENTS.

					rage
Deciduous Trees and Shrub	s,				2
Evergreen Trees and Shrub	S.				6
Vines and Creepers,					7
Herbaceous Perennials.					7
Bog and Aquatic Plants,					12
Orchids,					13
Ferns					14
Club Mosses					15
Special Collection of Ferns.					16

COMMONWEALTH OF MASSACHUSETTS.

STATE BOARD OF AGRICULTURE.

OFFICIAL CERTIFICATE No. 5.

TO WHOM IT MAY CONCERN:

BOSTON, Aug. 9, 1904.

This is to Certify that I have this 9th day of August, 1994, completed the inspection of the nursery stock of Edward Gillett, grown at Southwick, State of Massachusetts, and find it to be apparently free from the San Jose Scale and other injurious insects and diseases which might be transferred on nursery stock from the nursery to the orchard or garden.
This certificate is good until July 1, 1905.

(Signed)

H. T. FERNALD, Inspector.

EDWARD GILLETT.

Southwick, Mass., U.S.A.

Long Distance Telephone.

Deciduous Trees and Shrubs.

Nursery Grown Stock, except where noted.

Coll. signifies Collected Plants. S. seedlings in seed bed.

					10	100	1,000
ACER Pennsylvanicum (Stri							
3 ft., 2 to 3 ft. Coll.,					\$1 50		
2 to 3 ft. Coll.,					75	\$4 00	
saccharinum (Sugar Ma							
5 to 6 ft., .					2 00		
10 to 12 ft.,					3 50		
10 to 12 ft., spicatum (Mountain Map	ole)—						
2 to 3 it.,					1 50	8 00	
AMELANCHIER Canadensis		bush)—					
$1\frac{1}{2}$ to 2 ft.; strong,					1 25	7 00	
ARALIA pentaphylla. 2 to 3	ft.,				1 50		
AZALEA arborescens—							
8 to 12 in., .					2 00		
$1 \text{ to } 1\frac{1}{2} \text{ ft.},$					3 00		
calendulacea (Flame-cole	ored A	zalea)—					
,					1 25	6 00	
$1 \text{ to } 1\frac{1}{2} \text{ ft.},$					1 50	12 00	
$1\frac{1}{2}$ to 2 ft., .					2 50		
$1\frac{1}{2}$ to 2 ft., mollis. 1 to $1\frac{1}{2}$ ft.,					2 00		
nudiflora (Purple Azalea)—						
8 to 12 in. X, .					1 25	6 00	
$1 \text{ to } 1\frac{1}{2} \text{ ft.},$					2 00		
Vaseyi (Light Pink)—							
6 to 12 in., .					1 25	7 00	
1 to 1½ ft.; well bude	ded,				1 50		
viscosa—							
1 ft.,					1 25	6 00	
1 to 1% ft.; well bude	ded,				1 50	8 00	
1 to $1\frac{1}{2}$ ft.; well bude $1\frac{1}{2}$ to 2 ft.,					2 00	10 00	
					3 00		
BERBERIS purpurea (Purple	Barber	rv)—					
1 to 2 ft.,					75	4 00	
Thunbergi—						_ **	
8 to 12 in.,					75	4 00	
1 to 1½ ft.,					1 25	6 00	
1½ to 2 ft.,					1 50		
Sieboldi. 8 to 12 in.,					1 25		
vulgaris—					0		
1 to 1½ ft.,					75	4 00	
1½ to 2 ft.,					1 25		
BETULA papyracea (Paper or				•	1 20		
2 to 3 ft.,	Canoe	Direit).			1 50	8 00	
· · · · · · · · · · · · · · · · · · ·			•		2 00	0 00	
3 to 5 ft., X, . lenta (Yellow Birch). 3	ft.				1 50		
CEANOTHUS Americanus (N	ow To	eou Tee	, 14		$\frac{1}{1} \frac{50}{25}$	7 00	
CEPHALANTHUS occidentali						7 00	
CERCIS Canadensis. 1½ to 2			,	16.,	$\frac{1}{1} \frac{25}{25}$, 00	
CHIONANTHES virginica. 2	£ 10.,		•		1 50		
CHIONANTHES VIrginica. 2	11.,	٠	٠	•	1 90		

CLETHRA alnifolia (Sw	eet Pa	nner B	lush)_			1	0	10	0	1,000
11/2 ft	cet I'e	pper n	usii)—			81	00	85	00	
1½ ft., . 1½ to 2 ft.; X,	•						25		00	
COMPTONIA asplenifoli	a (Sw	eet Fe	rn) (coll			50		00	\$15 0
CORNUS alternifolia. 2							00		00	φιου
circinata. 2 ft.,							50	•	00	
florida. 2 to 3 ft.,	•			•			50	7	00	
Mas (Cornelian Che	erry)	2 to 2	3 ft				25		00	
paniculata—		. 2 00 0	0 10.,	•		•		•	00	
1 ft.,						1	00	5	00	
1 to 11/ft							25		00	
1½ to 2 ft.; X,							00		00	
2 to 3 ft.; XX,							50		00	
sericea. 2 to 3 ft.,		Ċ	·				25	5	00	
stolonifera—	•	•	•	•		•	20	U	00	
1 to 2 ft.,							75	4	00	
						1	25		00	
3 to 4 ft.,							50		00	
variegata (Golden)	11/	ft.	•				50	0	00	
CORYLUS Americanus						2	75	4	00	
						1		*	00	
CRATÆGUS coccinea, CYDONIA Japonica. 1½	2 10.,		•	•		1	00	=	00	
DIERVILLA trifida (Bus	g II.,	naveno	lala)	1 to 11/	f+		00		00	
DIRCA palustrus (Leath	orwoo	d) 8	to 19 i	n 10 1/2	16.,	1	25	Э	00	
EUONYMUS Americanu							00	_	00	
atropurpurea (Bur	-		-					Э	00	
redicers 1 to 11	ting i	v	1 10 2	16.,	•	1	50	0	00	
radicans. 1 to 11 variegata. 8 i	2 11.,	Δ, .				1	$\frac{25}{75}$		00	
FORSYTHIA viridissim									00	
GAYLUSSACIA frondos							00		00	
resinosa (Black Hu				6 10 12	ш.,	1	00	6	00	
							0	0	0.0	
HAMAMELIS Virginica	· (W;+.	ob Hog			•	1	25	ь	00	
						,	00	0	0.0	
			•				00		00	
2 to 3 ft.,							00		00	
HYDRANGEA arboresco radiata. 2 ft.,	ens (w na H	yarang	ea). 2			25	6	00	
grandiflora—	•	•				1	50			
							00	_	0.0	
1 to 1½ ft., 1½ to 2 ft.,							00		00	
1½ 10 2 11.,	•	•					25	6	00	
2 to 3 ft., paniculata. 1 to 2		•		•			50	-		
paniculata. 1 to 2	11.,		•				00	ð	00	
ILEX glabra. 1 ft., XX,			•			1	50			
verticillata—						_				
6 to 12 in.,	•	•	•				00		00	
1 to 2 ft.,				•			25	7	00	
2 to 3 ft.; XX,	, D .		•	•		2	50			
LAURUS Benzoin (Spice	Bush	1)—								
$1\frac{1}{2}$ to 2 ft.,						1	25	6	00	
LIGUSTRUM ovalifolium		lifornia	a Prive	t)—						
1 to 1½ ft.; 1 y	ear,						50	2	00	
2 ft., .							75	3	00	

	10	100	1,000
LIGUSTRUM vulgare (Common Privet). 2½ ft.; X,	\$1 00	\$5 00	
LONICERA ciliata (Fly Honeysuckle). 1 ft.,	1 25		
LYCIUM vulgare. 1 to 2 ft.,	1 00	5 00	
MYRICA cerifera (Bayberry)—			
8 to 12 in.; trans.,	1 00	5 00	
1 to 1½ ft.; bushy,	1 50	7 00	
$1\frac{1}{2}$ to 2 ft. XX,	2 00		
gale (Sweet Gale). 1 to 2 ft. XX,	1 50		
NEMOPANTHES Canadensis (Mountain Holly)—			
1 ft.,	1 50	7 00	
$1 \text{ to } 1\frac{1}{2} \text{ ft.}; X, \dots $	2 00	10 00	
PHILADELPHUS coronarius (Mock Orange)—			
$-1\frac{1}{2}$ to 2 ft.,	1 00	5 00	
grandiflorus. 1 to 2 ft.,	1 00	5 00	
POTENTILLA fruticosa. 1½ to 2 ft.,	1 00		
PRUNUS pumila (Dwarf Cherry). 1 to 2 ft. Coll., .	1 00		
maritima (Beech Plum). 3 ft.,	1 50		
PYRUS arbutifolius. 1 to $1\frac{1}{2}$ ft.; X,	1 50		
QUERCUS rubra (Red Oak). 2 to 2½ ft.; XX,	2 50		
RHAMINUS ainifolius. 1 to 2 ft. Coll.,	75	4 00	
RHODORA Canadensis—			
8 to 12 in.,	1 25	6 00	
1 ft.; XX,	1 50	8 00	
RHUS aromatica (Fragrant Sumach)—			
$8 \text{ in.; seedlings,} \qquad . \qquad . \qquad . \qquad . \\ 8 \text{ to } 12 \text{ in.; } X, \qquad . \qquad $	75	3 00	
8 to 12 in.; X ,	1 00	5 00	
1 to 2 ft.; XX,	2 00		
cotinus. 3 ft.,	1 50		
copallina (Dwarf Sumach). 1 ft. Coll.,	75	3 00	\$15 00
glabra (Smooth Sumach)—			
2 to 3 ft. Coll.,	75	3 00	15 00
2 to 3 ft.; trans.,	1 50	6 00	
typhina (Staghorn Sumach)—			
Coll.,	75	3 00	15 00
3 to 4 ft.,	1 50	6 00	
RIBES cynosbati (Wild Gooseberry). 1 to 2 ft.,	1 25	6 00	
aureum. 2 ft.; yellow,	1 00	5 00	
prostratum (Fetid Currant). 1 ft. Coll.,	75	3 00	
sanguinium (Red fl.). 2 ft.,	1 25		
ROSA Arkansana (Arkansas Rose). Seedlings, 3 to 6 in.,		4 00	
Blanda (Early Wild Rose). 1 to 2 ft.; X,	1 00	5 00	
	1 00	5 00	
Carolina (Swamp Rose). 2 ft.; fine, lucida (Dwarf Wild Rose). 1 ft.; X,		5 00	
	2 50	9 00	
alba (Pure White). 1 to 2 ft.; X,	1 50		
	$\frac{1}{1} \frac{30}{25}$	6 00	
rugosa. 1 to 1½ ft.,	1 75	0 00	
1½ to 2 ft.,		c 00	
alba. 1 ft.,	1 25	6 00	
Yellow Rambler (Aglaia). Double yellow; XX,	2 00		
rubiginosa (English Sweethrier). 1½ to 2 ft., .	75	6 00	
setigera (Prairie Rose). 1½ to 2 ft.; X, .	1 25	6 00	

	10	100	1,000
ROSA Wichuraiana (New Hardy Creeping Rose). 1 ft.,	\$1 00	\$5 00	
South Orange Perfection (Double White). X,	1 25		
Manda's Triumph (Clusters of Double White			
Flowers). X,	1 25		
Universal Favorite (Double Bright Rose Flow-			
ers). X,	1 25		
Pink Roamer (Single Pink). X,	1 25		
RUBUS odoratus (Flowering Raspberry). 2 to 3 ft.,	1 00	5 00	
deliciosus. 1 to 2 ft.; pure white flowers,	1 25	6 00	
occidentalis (Black Raspberry). Coll., .	75	3 00	
strigosus (Red Raspberry). 2 ft. Coll.,	75	3 00	
villosus (High Blackberry). 2 ft. Coll.,	1 00	0.00	
SAMBUSCUS Canadensis (Common Elder). 2 to 3 ft.,	1 25	6 00	
variegata. 2 ft.,	1 50	2.00	
pubens (Red Berried Elder). 2 to 3 ft., .	1 25	6 00	
SPIRÆA Anthony Waterer. 8 to 12 in.,	1 00		
Margaritæ. 1 ft.,	1 25	4 00	
opulifolia. 2 to 3 ft.,	75	4 00	
aurea. 2 ft.,	75	4 00	
salicifolia. Flesh colored. 2 ft. Coll., .	75	4 00	
Thunbergii. 1½ ft. X,	1 25	6 00	
tomentosa (Steeple Bush). 1 ft. Coll.,	75	4 00	
aurea. 2 ft.,	1 25	5 00	
am a partie man and at an arms are as as as	1 25	5 00	
SYMPHORICARPUS racemosus. 1½ ft.,	1 25 1 00		
var. pauciflorus (Dwarf Snowberry),	1 00		
val: paternorus (Dwarf Snowberry), vulgaris (Indian Currant)—	1 00		
1½ ft.,	75	4 00	
3 ft.,	1 25	6 00	
CVDING A V	1 00	0 00	
vulgaris. 3 ft.,	1 50		
alba. 2 ft.,	1 00		
President Grey. 2 ft.,	1 50		
VACCINIUM Pennsylvanicum (Dwarf Blueberry)—	1 50		
	75	4 00	
	1 25	4 00	
	1 25		
VACCINIUM corymbosum (Swamp Blueberry)—			
1 ft.,	1 00	5 00	
VIBURNUN acerifolium (Maple-leaved Viburnum)—			
1 to 1½ ft.,	1 25	6 00	
cassinoides—			
1 ft.; X,		5 00	
$1 \text{ to } 1\frac{1}{2} \text{ ft.}, \qquad . \qquad . \qquad .$	1 50	7 00	
1½ to 2 ft.,	2 00		
dentatum—			
1 ft.,	1 00	5 00	
2 ft.,	1 50	8 00	
2 to 3 ft.; bushy,	2 00	10 00	
lantana (Wayfaring Tree). 1 to 2 ft.,	1 00		
lantanoides (Hobble Bush). 1 to 3 ft. Coll., .	75	4 00	

					-	10	100	1 000
VIBURNUN Lentago (Sheepber	ry)—					,	. 100	1,000
1 to 1½ ft., .	- /				\$1	25	\$6 00	
1½ to 2 ft.; XX,					1	50	8 00	
2 to 3 ft.; XX, .								
Opulus (Cranberry Tree).	$2\frac{1}{2}$	ft.,			1	50		
2 to 3 ft., .					1	50		
sterilis (Snowball Tree).	2 to 2	2½ ft.,			1	50		
tomentosum. 3 ft., XX,					2	00		
pubescens (Downy Arrow	-wood	l). 1 to	11/2	ft.,	1	25	6 00	
prunifolium. 1 to 2 ft.; X	XX,				1	50		
VITIS cordifolia (Frost Grape).						00	5 00	
æstavilis. 1 to 2 ft.,					1	00	5 00	
Labruska. 1 to 2 ft.,						00	5 00	
Weigela rosea. 1½ ft., X	ζ,				1	25		

Evergreen Trees and Shrubs.

ABIES Englemanni. 2 ft.,	
4 ft.,	
Canadensis (Hemlock). 1 to $1\frac{1}{2}$ ft.; XX, . \$1 50	
nigra (Black Spruce). 1 to 2 ft. Coll.,	
ANDROMEDA polyfolia. 1 ft.; wet places.	
1 to 1½ ft., 1 25 \$6 00	
,	12 00
CASSANDRA calyculata (Leather Leaf)—	
8 to 12 in.,	_
1 to 2 ft. Coll., 50	12 00
HYPERICUM patulum. $6 \text{ in., } X,$ 1 00 5 00	
JUNIPERUS communis (Prostrate Juniper). 1 ft. Coll., 1 00	
prostrata aurea—	
(Golden). 1 to $1\frac{1}{2}$ ft., 2 50	
Hibernica (Irish Juniper). 2 to 3 ft., 2 00	
Virginiana (Red Cedar). 1 ft. Coll., 1 00	
glauca. 2 ft.; XX, 5 00	
KALMIA angustifolia (Sheep Laurel). 1 ft., 1 00	
glauca (Pale Laurel). 1 ft., 1 00 5 00	
latifolia (Mountain Laurel)—	
12 to 18 in.; X,	
1½ to 2 ft.; XX, 6 00	
LEDUM latifolium (Labrador Tea). 8 to 12 in., . 1 00 5 00	
LEUCOTHOË Catesbæi. 1 ft., 1 00 5 00	
MAHONIA aquifolia. 8 to 12 in.,	
PICEA pungens (Col. Blue Spruce)—	
6 to 12 in.; trans., X, 2 00	
PINUS strobus (White Pine). 2 ft.; X, 2 00 10 00	
RETINOSPORA ericoides—	
2 ft., 50c each	
5 ft., \$1.25 each	

							10	1	100	1,000
RETINOSPORA	plumo	sa—								
1 ft.,						81	50			
2 ft.,				50c €	each					
5 ft.,				\$1.25 €	each					
plumosa at	ırea—									
1 ft.,						1	50			
2 ft.,				50c €	each					
5 ft.,				\$1.25	each					
picifera aur	ea. 1	ft.,				1	50			
RHODODENDRO						. 1	50			
maximum	(Great	Laurel)								
8 to 12	in.,					1	00			
		trong,				2	00			
11/2 to 2	ft.,					3	00			
_							00			
punctatum							50			
TAXUS Canaden										
	,	Χ, .	,			1	25	\$6	00	
		11.,					50	3	00	\$15
THUYA occident						1	25			
globosa (G										
Ellwangeri			,			3	00			

Vines and Creepers.

	10	100	1,000
AMPELOPSIS quinquefolia (Virginia Creeper)—			-,
1 to 2 ft. Coll.,	\$0.75	\$4 00	
BIGNONIA radicans (Trumpet Creeper),	1 00	5 00	
CELASTRUS scandens (Bittersweet). 1 to 2 ft. Coll.,	75	4 00	\$15 00
CLEMATIS coccinea (Scarlet Clematis). Fine, strong,	1 25	6 00	
crispa. Strong, bluish purple flowers,	1 25	6 00	
paniculata. Pure white flowers, strong plants, .	1 25		
Virginiana (Virgin's Bower). Strong. Coll., .	1 00	4 00	
LONICERA bracypoda. 1 ft.,	1 00	5 00	
aurea. 1 ft.,	1 00		
MENISPERMUM Canadense (Canadian Moonseed)—			
Coll.,	1 00	4 00	
RUBUS hispidus (Running Swamp Blackberry). Coll.,	50	2 00	10 00
Canadensis (Low Blackberry). Fine fruit. Coll.,	75	3 00	

Herbaceous Perennials.

For the most part in the following list of Hardy Herbaceous Perennials, I offer nursery-grown plants. Yet some of the North American Wild Flowers are collected in their native habitat; they are, as a rule, easily transplanted.

1 yr., means transplanted and grown in nursery one year. Coll., collected.

			10	100	1,000
ACHILLEA mille	folium roseum,		\$0.75	84 90	
The Pearl.	Pure white, .		75	4 00	

ACTÆA alba (White Baneberry). Coll., \$1 00 \$5 00 rubra (Red Baneberry). Nice plants. Coll., \$1 00 \$5 00 ALYSSUM saxatile compactum— 1 yr., \$50 3 00 ANARYLLIS formosissima (Jacobæan Lily). Fire Red, \$1 00 ANEMONE nemorosa. Flowers white. Coll., \$50 3 00 Pennsylvanica. Large white flowers, \$75 4 00 pulsatilla. 2 yrs.; large blue flowers, \$1 00 Japonica. Single; 1 yr. XX, \$1 00 "Whirlwind." Double white; 1 yr., \$1 00 ANTHEMIS tinctoria (Golden Marguerite). 1 yr., \$75 4 00 APIOS tuberosa (Wild Bean). Purple flowers. Coll., \$25 1 00 AQUILEGIA alpina. \$1 to \$2\$ ft; flowers blue; \$1\$ yr., \$1 00 \$4 00 chrysantha. Large yellow; \$1\$ yr., \$1 00 \$4 00 chrysantha. Large yellow; \$1\$ yr., \$1 00 \$4 00 Skinneri. \$2\$ yrs., \$1 50 ARABIS albida. \$1\$ yr; white, \$75 4 00 \$2\$ XARISÆMA triphyllum (Wild Turnip), \$1 50 \$3 00 ASARUM Canadensis (Wild Ginger). Purple flowers, \$50 3 00 ASCLEPIAS incarnata. Flowers purple, showy. Coll., \$50 \$3 00 ASCLEPIAS incarnata. Flowers purple, showy. Coll., \$50 \$3 00 ASTER ericoides. Flowers white, on wand-like stems. \$1 00 \$5 00 ASTER ericoides. Flowers white, on wand-like stems. \$1 00 \$5 00 ASTER ericoides. Flowers white, on wand-like stems. \$1 00 \$5 00 ASTER ericoides. Flowers white, on wand-like stems. \$1 00 \$5 00 ASTER ericoides. Flowers white, on wand-like stems. \$2 00 \$1 00 \$5 00 ASTER ericoides. Flowers white, on wand-like stems. \$2 00 \$1 00 \$5 00 ASTER ericoides. Flowers white, on wand-like stems. \$2 00 \$1 00 \$5 00 ASTER ericoides. Flowers white, on wand-like stems. \$2 00 \$1 00 \$5 00 ASTER ericoides. Flowers white, on wand-like stems. \$2 00 \$1 00 \$5 00 \$1 0	
rubra (Red Baneberry). Nice plants. Coll., 1 00 5 00 ALYSSUM saxatile compactum— 1 yr., 50 3 00 AMARYLLIS formosissima (Jacobæan Lily). Fire Red, 1 00 ANEMONE nemorosa. Flowers white. Coll., 50 3 00 Pennsylvanica. Large white flowers, 75 4 00 pulsatilla. 2 yrs.; large blue flowers, 1 00 Japonica. Single; 1 yr. XX, 1 00 "Whirlwind." Double white; 1 yr., 75 4 00 ANTHEMIS tinctoria (Golden Marguerite). 1 yr., 75 4 00 APIOS tuberosa (Wild Bean). Purple flowers. Coll., 25 1 00 AQUILEGIA alpina. 1 to 2 ft; flowers blue; 1 yr., 1 00 4 00 chrysantha. Large yellow; 1 yr., 75 4 00 Canadensis. Red and yellow, 75 4 00 Skinneri. 2 yrs., 75 4 00 Skinneri. 2 yrs., 1 50 ARABIS albida. 1 yr; white, 75 ARISÆMA triphyllum (Wild Turnip), 50 3 00 ASARUM Canadensis (Wild Ginger). Purple flowers, 50 3 00 ASARUM Canadensis (Wild Ginger). Purple flowers, 50 3 00 ASTER ericoides. Flowers white, on wand-like stems. Coll., 75 4 00 multiflorus. Small white flowers; fine. Coll., 75 4 00 Novæ Angliæ (N. E. Aster). Large purple flowers. 2 yrs., X, 1 00 5 00 BAPTISIA tinctoria. Yellow; dry soils. Coll., 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine, 75 100 CALLIRRHOË involucrata. Flowers large, crimson, fine, 1 00 5 00 alba. 1 yr.; X, 1 00 5 00 alba. 1 yr.; X, 1 00 5 00 alba. 1 yr.; X, 1 00 5 00 elegans— 2 ft.; 1 yr. Deep blue, 1 1 00 5 00 elegans— 2 ft.; 1 yr. Deep blue, 1 1 00 5 00 elegans— 2 yrs., 1 1 50 medium (Canterbury Bells). 1 yr., 1 5 4 00	1,000
ALYSSUM saxatile compactum— 1 yr., 50 3 00 AMARYLLIS formosissima (Jacobæan Lily). Fire Red, 1 00 ANEMONE nemorosa. Flowers white. Coll., 50 3 00 Pennsylvanica. Large white flowers, 75 4 00 pulsatilla. 2 yrs.; large blue flowers, 1 00 Japonica. Single; 1 yr. XX, 1 00 "Whirlwind." Double white; 1 yr., 75 4 00 ANTHEMIS tinctoria (Golden Marguerite). 1 yr., 75 4 00 APIOS tuberosa (Wild Bean). Purple flowers. Coll., 25 1 00 AQUILEGIA alpina. 1 to 2 ft; flowers blue; 1 yr., 1 00 4 00 chrysantha. Large yellow; 1 yr., 75 4 00 ARABIS albida. 1 yr., 75 4 00 Skinneri. 2 yrs., 1 50 ARABIS albida. 1 yr; white, 75 ARABIS albida. 1 yr; white, 75 ARISÆMA triphyllum (Wild Turnip), 50 3 00 ASARUM Canadensis (Wild Ginger). Purple flowers, 50 3 00 ASCLEPIAS incarnata. Flowers purple, showy. Coll., 50 3 00 ASTER ericoides. Flowers white, on wand-like stems. Coll., 75 4 00 Iavis. Large dark blue flowers. Coll., 75 4 00 Novæ Angliæ (N. E. Aster). Large purple flowers. 2 yrs., X, 1 00 5 00 BAPTISIA tinctoria. Yellow; dry soils. Coll., 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine, 1 00 Cusickii. 2 ft.; light blue, large bulbs, 1 50 CAMPANULA Carpatica. 2 yrs.; X, 1 00 5 00 alba. 1 yr.; X, 1 00 5 00 elegans— 2 ft.; 1 yr. Deep blue, 1 1 00 5 00 elegans— 2 ft.; 1 yr. Deep blue, 1 1 50 medium (Canterbury Bells). 1 yr., 15 4 00	
AMARYLLIS formosissima (Jacobæan Lily). Fire Red, 1 00 ANEMONE nemorosa. Flowers white. Coll., 50 3 00 Pennsylvanica. Large white flowers, 1 00 Japonica. Single; 1 yr. XX, 1 00 "Whirlwind." Double white; 1 yr., 1 00 ANTHEMIS tinctoria (Golden Marguerite). 1 yr., 75 4 00 APIOS tuberosa (Wild Bean). Purple flowers. Coll., 25 1 00 AQUILEGIA alpina. 1 to 2 ft; flowers blue; 1 yr., 1 00 4 00 chrysantha. Large yellow; 1 yr., 75 4 00 Vulgaris. 1 yr., 75 4 00 Skinneri. 2 yrs., 1 50 ARABIS albida. 1 yr; white, 75 ARISÆMA triphyllum (Wild Turnip), 50 3 00 ASARUM Canadensis (Wild Ginger). Purple flowers, 50 3 00 ASCLEPIAS incarnata. Flowers purple, showy. Coll., 50 3 00 ASCLEPIAS incarnata. Flowers white, on wand-like stems. Coll., 75 4 00 Mayis. Large dark blue flowers. Coll., 75 4 00 multiflorus. Small white flowers; fine. Coll., 75 4 00 Movæ Angliæ (N. E. Aster). Large purple flowers. 2 yrs., X, 1 00 5 00 BAPTISIA tinctoria. Yellow; dry soils. Coll., 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine, 1 00 1 00 5 00 CAMPANULA Carpatica. 2 yrs.; X, 1 00 5 00 alba. 1 yr.; X, 1 00 5 00	
AMARYLLIS formosissima (Jacobæan Lily). Fire Red, 1 00 ANEMONE nemorosa. Flowers white. Coll., 50 3 00 Pennsylvanica. Large white flowers, 75 4 00 pulsatilla. 2 yrs.; large blue flowers, 1 00 "Whirlwind." Double white; 1 yr., 1 00 ANTHEMIS tinctoria (Golden Marguerite). 1 yr., 75 4 00 APIOS tuberosa (Wild Bean). Purple flowers. Coll., 25 1 00 AQUILEGIA alpina. 1 to 2 ft; flowers blue; 1 yr., 1 00 4 00 chrysantha. Large yellow; 1 yr., 75 4 00 Canadensis. Red and yellow, 75 4 00 Skinneri. 2 yrs., 75 4 00 Skinneri. 2 yrs., 75 4 00 ASARUM Canadensis (Wild Ginger). Purple flowers, 50 3 00 ASCLEPIAS incarnata. Flowers purple, showy. Coll., 50 3 00 ASTER ericoides. Flowers white, on wand-like stems. Coll., 75 4 00 May and the flowers, 601., 75 4 00 Ievis. Large dark blue flowers. Coll., 75 4 00 multiflorus. Small white flowers; fine. Coll., 75 4 00 multiflorus. Small white flowers; fine. Coll., 75 4 00 BAPTISIA tinctoria. Yellow; dry soils. Coll., 1 00 5 00 BAPTISIA tinctoria. Yellow; dry soils. Coll., 1 00 5 00 CALLIRRHOË involucrata. Flowers large, crimson, fine, 75 1 00 5 00 alba. 1 yr.; X, 1 00 5 00	
ANEMONE nemorosa. Flowers white. Coll., Pennsylvanica. Large white flowers, pulsatilla. 2 yrs.; large blue flowers, "Whirlwind." Double white; 1 yr., "Whirlwind." Double white; 1 yr., ANTHEMIS tinctoria (Golden Marguerite). 1 yr., APIOS tuberosa (Wild Bean). Purple flowers. Coll., AQUILEGIA alpina. 1 to 2 ft; flowers blue; 1 yr., Canadensis. Red and yellow, vulgaris. 1 yr., Canadensis. Red and yellow, Skinneri. 2 yrs., ARABIS albida. 1 yr; white, ARABIS ariphyllum (Wild Turnip), ASARUM Canadensis (Wild Ginger). Purple flowers, Coll., tuberosa. 3 yrs., Coll., ASTER ericoides. Flowers white, on wand-like stems. Coll., Coll., ASTER ericoides. Flowers white, on wand-like stems. Coll., ASTER ericoides. Flowers. Coll., ASTER ericoides. Flowers. ASTER ericoides. Flowers. ASTER ericoides. Flowers. ASTER ericoides. ASTER ericoides. ASTER ericoides. ASTE	
Pennsylvanica. Large white flowers,	\$15 00
pulsatilla. 2 yrs.; large blue flowers, 1 00 Japonica. Single; 1 yr. XX, 1 00 "Whirlwind." Double white; 1 yr., 1 00 ANTHEMIS tinctoria (Golden Marguerite). 1 yr., 75 4 00 APIOS tuberosa (Wild Bean). Purple flowers. Coll., 25 1 00 AQUILEGIA alpina. 1 to 2 ft; flowers blue; 1 yr., 1 00 4 00 chrysantha. Large yellow; 1 yr., 75 4 00 vulgaris. 1 yr., 75 4 00 canadensis. Red and yellow, 1 00 4 00 skinneri. 2 yrs., 1 50 ARABIS albida. 1 yr; white, 75 ARISÆMA triphyllum (Wild Turnip), 50 3 00 ASCLEPIAS incarnata. Flowers purple; showy. Coll., 50 3 00 ASTER ericoides. Flowers white, on wand-like stems. Coll., 75 4 00 ASTER ericoides. Flowers white, on wand-like stems. Coll., 75 4 00 Inceptable (N. E. Aster). Large purple	\$10 00
Japonica. Single; 1 yr. XX,	
"Whirlwind." Double white; 1 yr.,	
ANTHEMIS tinctoria (Golden Marguerite). 1 yr.,	
AQUILEGIA alpina. 1 to 2 ft; flowers blue; 1 yr.,	
AQUILEGIA alpina. 1 to 2 ft; flowers blue; 1 yr.,	8 00
chrysantha. Large yellow; 1 yr.,	
vulgaris. 1 yr., .	
Canadensis. Red and yellow, 1 00 4 00 Skinneri. 2 yrs., 1 50 ARABIS albida. 1 yr; white, 75 ARISÆMA triphyllum (Wild Turnip), 50 3 00 ASARUM Canadensis (Wild Ginger). Purple flowers, 50 3 00 ASCLEPIAS incarnata. Flowers purple, showy. Coll., 50 3 00 ASTER ericoides. Flowers white, on wand-like stems. 75 4 00 Lavis. Large dark blue flowers. Coll., 75 4 00 lævis. Large dark blue flowers; fine. Coll., 75 4 00 Movæ Angliæ (N. E. Aster). Large purple 1 00 5 00 patens. Flowers deep purple; low growing. Coll., 75 4 00 BAPTISIA tinctoria. Yellow; dry soils. Coll., 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine, 1 00 4 00 CAMPANULA Carpatica. 2 yrs.; X, 1 00 5 00 alba. 1 yr.; X, 1 00 5 00 elegans— 2 ft.; 1 yr. Deep blue, 1 00 <td< td=""><td></td></td<>	
Skinneri. 2 yrs., . . 1 50 ARABIS albida. 1 yr; white, .	
ARISÆMA triphyllum (Wild Turnip),	
ARISÆMA triphyllum (Wild Turnip),	
ASCLEPIAS incarnata. Flowers purple, showy. Coll., tuberosa. 3 yrs.,	
tuberosa. 3 yrs., . . . 1 00 5 00 ASTER ericoides. Flowers white, on wand-like stems. Coll., .	15 00
ASTER ericoides. Flowers white, on wand-like stems. Coll.,	
Coll.,	
lævis. Large dark blue flowers. Coll., 75 4 00 multiflorus. Small white flowers; fine. Coll., 75 4 00 Novæ Angliæ (N. E. Aster). Large purple 1 00 5 00 flowers. 2 yrs., X, 1 00 5 00 patens. Flowers deep purple; low growing. Coll., 75 4 00 BAPTISIA tinctoria. Yellow; dry soils. Coll., 1 00 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine, 1 00 5 00 Cusickii. 2 ft.; light blue, large bulbs, 1 50 CAMPANULA Carpatica. 2 yrs.; X, 1 00 5 00 alba. 1 yr.; X, 1 00 5 00 elegans— 2 ft.; 1 yr. Deep blue, 1 00 5 00 2 yrs., 1 50 1 50 medium (Canterbury Bells). 1 yr., 75 4 00	
multiflorus. Small white flowers; fine. Coll., 75 4 00 Novæ Angliæ (N. E. Aster). Large purple flowers. 2 yrs., X, . . 1 00 5 00 patens. Flowers deep purple; low growing. Coll., . 75 4 00 BAPTISIA tinctoria. Yellow; dry soils. Coll., . 1 00 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine, . . . 1 00 Cusickii. 2 ft.; light blue, large bulbs, . 1 50 CAMPANULA Carpatica. 2 yrs.; X, . 1 00 5 00 alba. 1 yr.; X, . . 1 00 5 00 elegans— 2 ft.; 1 yr. Deep blue, . 1 50 medium (Canterbury Bells). 1 yr., .	15 00
Novæ Angliæ (N. E. Aster). Large purple flowers. 2 yrs., X,	
flowers. 2 yrs., X,	15 00
patens. Flowers deep purple; low growing. Coll., 75 4 00 BAPTISIA tinctoria. Yellow; dry soils. Coll., 1 00 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine, 1 00 1 00 Cusickii. 2 ft.; light blue, large bulbs, 1 50 1 50 CAMPANULA Carpatica. 2 yrs.; X, 1 00 5 00 alba. 1 yr.; X, 1 00 5 00 elegans— 2 ft.; 1 yr. Deep blue, 1 00 5 00 2 yrs., 1 50 1 50 medium (Canterbury Bells). 1 yr., 75 4 00	
BAPTISIA tinctoria. Yellow; dry soils. Coll., 1 00 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine, 1 00 5 00 Cusickii. 2 ft.; light blue, large bulbs, 1 50 5 00 CAMPANULA Carpatica. 2 yrs.; X, 1 00 5 00 alba. 1 yr.; X, 1 00 5 00 elegans— 2 ft.; 1 yr. Deep blue, 1 00 5 00 2 yrs., 1 50 5 00 medium (Canterbury Bells). 1 yr., 75 4 00	
CALLIRRHOË involucrata. Flowers large, crimson, fine,	
fine,	
fine,	
Cusickii. 2 ft.; light blue, large bulbs,	
CAMPANULA Carpatica. 2 yrs.; X, 1 00 5 00 alba. 1 yr.; X, 1 00 5 00 elegans— 2 ft.; 1 yr. Deep blue,	
alba. 1 yr.; X,	
elegans— 2 ft.; 1 yr. Deep blue,	
2 ft.; 1 yr. Deep blue, 1 00 5 00 2 yrs., 1 50 medium (Canterbury Bells). 1 yr.,	
2 yrs.,	
medium (Canterbury Bells). 1 yr.,	
alba. 2 yrs.; X,	
rotundifolia (Harebell). Strong, 1 25 5 00	
CASSIA Marilandica (American Senna). 3 ft., yellow, X, 1 00 4 00	
CAULOPHYLLUM thalictroides (Blue Cohosh),	
CHELONE glabra (Snake-Head). White flowers. Coll., 75 4 00	
CHIMAPHILA maculata (Spotted Wintergreen). Coll., 75 4 00	
CHRYSANTHEMUM (Pompon Varieties)— 1 00	
Maid of Honor. Deep Rose, 1 00	
Drin Drin. Smallest, bright orange, 1 00	
Daybreak. Rosy shell pink, 1 00	

	10	100	1.000
CHRYSANTHEMUM Druid Hill. Light mahogany			
crimson,	\$1 00		
St. Illoria. Silvery pink, .	1 00		
St. Illoria. Silvery pink, . Soiur Nuianie. Pure white. Dwarf, .	1 00		
CIMICIFUGA racemosa (Black Snake-root).			
White flowers,	1 00	\$5 00	
CLAYTONIA Virginica (Spring Beauty),	50	3 00	
CLAYTONIA Virginica (Spring Beauty), CLINTONIA borealis. Coll., CONVALLARIA maialis (Lily of the Valley).	50	3 00	
CONVALLARIA majalis (Lily of the Valley),	1 00	4 00	
majalis. Large fine clumps,	2 50	10 00	
COPTIS trifolia (Goldthread). Small white flowers, .	75	3 00	
CORNUS Canadensis (Dwarf Cornel). Fine clumps.			
Coll.,	1 25	5 00	
DELPHINIUM grandiflorum (Larkspur). Low grow-			
ing, very beautiful. 2 yrs.,	1 00	4 00	
grandiflorum. Very large flowers,	1 00	4 00	
formosum. Tall, 4 to 6 ft. 2 yrs.,	1 00	5 00	
DENTARIA diphylla (Pepper Root),	50	3 00	
laciniata. Flowers pale purple,	75	4 00	
DIANTHUS barbatus (Sweet William). 1 yr.,	75	4 00	
plumarius. 1 yr.,	75	4 00	
Double Pink. Fine. 1 yr.,	75		
Single Pink. 1 yr.,	75		
Her Majesty. 1 yr.,	1 00		
Mrs. Simkins, 1 yr.,	75	4 00	
DICENTRA eximia. Beautiful flowers; large; 2 yrs.; X,	1 00	5 00	
DIGITALIS gloxonoides. 1 yr.,	75	4 00	
DODECATHEON Meadia (Shooting Star). Fine plants,	1 00	5 00	
EPIGÆA repens (Trailing Arbutus). Fine plants. Coll.,	1 00	5 00	
EPILOBIUM angustifolium. Coll.,	75	4 00	
ERYTHRONIUM Americanum (Dog's Tooth Violet)—			
Bright yellow flowers. Coll.,	75	4 00	
EUPATORIUM ageratoides (White Snakeroot). Coll.,	50	3 00	\$ 15 00
EUPHORBIA corollata (Flowering Spurge). Fine; white,	75	4 00	
GAILLARDIA grandiflora. 1 yr.,	75	4 00	
GALAX aphylla. Evergreen, tinted leaves, white flowers,	1 00	5 00	
GAULTHERIA procumbens (Wintergreen)—			
	1 00	5 00	
Clumps, Coll.,	1 (70)		
Clumps. Coll.,		5 00	

"MIELLEZ'S REVELATION" IN LILY OF THE VALLEY.

It is of extraordinary size and vigor, of the most exquisite fragrance, and does well under all conditions and in all sorts of soils, growing just as well in full sun as partial shade. It is extremely hardy, and while not increasing quite as fast as the common kinds, is still of good increase. It is well to cover it in December with a good coat of barnyard manure—cow or horse—green is just as good as old. Leave it in the spring to serve as mulch. The Massachusetts Horticultural Society awarded it a "First-Class Certificate of Merit" on May 22, 1897. \$1 per 10, \$5 per 100.

	10	100	1,000
GYPSOPHILA paniculata. 2 yrs.,	\$1 00	\$5 00	,
HEPATICA triloba. Round leaved, flowers early. Coll.,			
alba White	1 25		
alba. White,	1 00		
HEMEROCALLIS flava. Clumps, strong,	1 50		
HEUCHERA sanguinea. Fire red, large. 1 yr.,	1 00	5 00	
HIBISCUS Moscheutos rosea—			
Flowers large, rose colored. 2 yrs.,	1 00	5 00	
Crimson Eye—			
Flowers pure white, crimson eye. 1 yr.,	1 00	5 00	
HOLLYHOCKS, Double. Pink, salmon, white, crim-		4 00	
son. 1 yr. X,	75		
HOUSTONIA cœrulea (Bluets)—	75	4 00	
White and number tufts Coll	95	2 00	
purpurea. Waxy white flowers: clumps.	75	4 00	
HYDRASTIS Canadensis (Orange Root). Rare.	75	4 00	
IBERIS sempervirens. 1 yr.,	75	4 00	
White and purple; tufts. Coll., purpurea. Waxy white flowers; clumps, HYDRASTIS Canadensis (Orange Root). Rare, IBERIS sempervirens. 1 yr., IRIS cristata. Light blue flowers. 6 in., XX, .	1 00	5 00	
Dumila (Dwart Iris)—			
Purple flowers, early. 3 to 6 in. 2 yrs.,			
alba. 2 yrs.,	1 00		
azurea. Blue. 2 yrs.,	$\begin{array}{ccc} 1 & 00 \\ 1 & 00 \end{array}$		
Siberica. Dark blue or white. 1 to 3 ft. Clumps,	1 00	5 00	
verna. Crested yellow, low growing,	1 00		
versicolor. Large blue flowers. 1 to 2 ft. Coll.,	50		\$15 00
Kæmpferi (Japan Iris). Named sorts, XX,			Ψ20 00
LIATRIS graminifolia, Coll.	75	4 00	
pycnostachya (Kansas Gay Feather). Fine, .	1 00	5 00	
scariosa (Button Snakeroot). 2 to 5 ft., spicata (Spiked Blazing Star), LILIUM auratum. Home grown. 7 to 9 in.,	1 00		
spicata (Spiked Blazing Star),	1 00		
LILIUM auratum. Home grown. 7 to 9 in.,	1 25		
concolor	75 75		
Humboldtii. 3 to 6 ft. Reddish orange flowers,	1 50		
Martagon,	1 25		
Martagon,	75		
Philadelphicum (Wild Orange Red Lily),	75	4 00	
superbum. Tall. 4 to 8 ft. Many flowers, .	1 00	5 00	
tenuifolium. Fine bulbs,	1 50	7 00	
Wallacei,	75	4 00	
LINIM Austriagum 1 m	75	4 00	
LORELIA cardinalis (Cardinal Flower) Flowers red	10		
Martagon, pardalinum, Philadelphicum (Wild Orange Red Lily), superbum. Tall. 4 to 8 ft. Many flowers, tenuifolium. Fine bulbs, Wallacei, LINNÆA borealis, LINUM Austriacum. 1 yr., LOBELIA cardinalis (Cardinal Flower). Flowers red.	75	3 00	
syphilitica (Great Blue Lobelia). Fine plants, LUPINUS perennis (Wild Lupine). Coll., LYCHNIS Haageana. Scarlet. 1 yr.,	75	3 00	
LUPINUS perennis (Wild Lupine). Coll.,	50	3 00	
LYCHNIS Haageana. Scarlet. 1 yr.,	75		
chalcedonica. 2 yrs.,	1 00	5 00 5 00	
viscaria splendens (Ragged Robin). 2 yrs.,	1 00	5 00	
LYINKUM roseum superdum. 3 yrs.; strong,	1 50	8 00	25 00
LYSIMACHIA nummularia (Creeping Jenny). Coll.,	$\frac{50}{25}$	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$	8 00
MERTENSIA Virginica (Virginia Cowslip). Established,		5 00	0 00
MITCHELLA repens (Partridge Berry). Clumps. Coll.,	1 00	4 00	25 00
MITELLA diphylla (Bishop's Cap). Nice for rockery,	50	3 00	
MONARDA didyma. Bright red flowers,	75	4 00	
MYOSOTIS palustris (Forget-Me-Not). Flowering plants		3 00	
OENOTHIRA fruticosa major. 2 yrs.; large yellow,	1 00	5 00	
speciosa. 2 yrs.; white,	1 00	9 00	
OXALIS acetosella. White flowers; purple veins,	50 50	3 00 3 00	
violacea. Flowers pink; fine dark foliage, .	50	ə UU	

PAEONIA sinensis rosea. Clumps, white. Clumps, red. Clumps, PARNASSIA Caroliniana. Large white flowers. Coll., PHLOX reptans. Red, divaricata. Blue, aemona (Dwarf Phlox), pilosa, subulata (Moss Pink), alba. Pure White, PHLOX HYRPID (diversata)	$\begin{array}{c} 10 \\ \$2 \ 00 \\ 2 \ 00 \\ 2 \ 00 \\ 50 \\ 1 \ 00 \\ 1 \ 00 \end{array}$	100 \$10 00 10 00 10 00 3 00	1,000 \$15_00
PAEONIA sinensis rosea. Clumps, white. Clumps, red. Clumps, PARNASSIA Caroliniana. Large white flowers. Coll., PHLOX reptans. Red, divaricata. Blue, aemona (Dwarf Phlox), pilosa,	\$2 00 2 00 2 00 50 1 00	\$10 00 10 00	
white. Clumps, red. Clumps, PARNASSIA Caroliniana. Large white flowers. Coll., PHLOX reptans. Red, divaricata. Blue, aemona (Dwarf Phlox), pilosa,	2 00 2 00 50 1 00	10 00 10 00 3 00	815.00
PARNASSIA Caroliniana. Large white flowers. Coll., PHLOX reptans. Red, divaricata. Blue, aemona (Dwarf Phlox), pilosa,	2 00 50 1 00	10 00	815.00
PARNASSIA Caroliniana. Large white flowers. Coll., PHLOX reptans. Red, divaricata. Blue, aemona (Dwarf Phlox), pilosa,	50 1 00 1 00	3 00	815 00
PHLOX reptans. Red, divaricata. Blue, aemona (Dwarf Phlox), pilosa,	1 00	1 00	
divaricata. Blue, aemona (Dwarf Phlox), pilosa,	1 00	A (111)	O ()(
aemona (Dwarf Phlox), pilosa,		1 00	
pilosa,	1 00	5 00	
pilosa,	1 00	5 00	
ashulata (Moog Hinle)	1 00	1 00	
subulata (MOSS FIIIK),	.10	4 00	
Alpa, rure write,	10	4 00	
TILOX III DKID (dicussata)—			
BRILLIANT. Fiery red, overlaid salmon, large tru	188.		
COQUELICOT. Fiery scarlet, dwarf.			
LOTHAIR. Brilliant salmon red, carmine eye.			
JOAN OF ARC. Large panicles of pure white, dw CONCOURSE. Rosy carmine, the colored center.	arı.		
CONCOURSE. Rosy carmine, fire colored center.			
LIBERTE. Clear salmon, large flowers, tall.	4 0"		
strong stock,	1 25		
HLOX dicussata in mixed sorts, strong,	1 25	6 00	
ODOPHYLLUM peltatum (Mandrake),	1 00		
HLOX dicussata in mixed sorts, strong, ODOPHYLLUM peltatum (Mandrake), OLYGALA paucifolia (Fringed Polygala). Coll. clumps	, 1 00		
OLYGANATUM biflorum (Solomon's Seal), Con. Clumps OLYGANATUM biflorum (Solomon's Seal), YRETHRUM corymbosum. 2 ft., white flowers,	75	4 00	
YRETHRUM corymbosum. 2 ft., white flowers, .	1 00	5 00	
uliginosum (Great Ox-eye Daisy). XX,	1 25	5 00	
roseum hybridum,	1 00		
uliginosum (Great Ox-eye Daisy). XX, . roseum hybridum,	1 00	5 00	
veris. Mixed. 2 yrs., X,	1 00	5 00	
vulcarie 9 wee V	1 00	5 00	
HEXIA Virginica (Meadow Beauty), UDBECKIA lanceolata (Golden Glow). Clumps; XX,	75	3 00	
UDBECKIA lanceolata (Golden Glow), Clumps: XX,	1 00	5 00	
ANGUINARIA Canadensis (Blood Root). Coll	50	3 00	
EDUM acre. Yellow flowers.	50	3 00	
EDUM acre. Yellow flowers,	1 50		
ILENE Virginica (Fire Pink). XX.	1 00		
MILACINA racemosa (False Solomon's Seal),	75	4 00	
OLIDAGO odora (Sweet Goldenrod). Very desirable	10	1 00	
for open places, especially near the sea,	1 00	5 00	
PIRÆA lobata. 3 to 4 ft. Clumps, XX.	1 50	", 00	
PIRÆA lobata. 3 to 4 ft. Clumps, XX, Japonica. Strong clumps, XX,	1 50	8 00	
HASTA Daisy. 1 yr., X,	1 00	0 00	
HASTA Daisy. 1 yr., X, TOKSIA Cyanea (Cornflower Aster),	1 00		
TREPTOPUS roseus (Twisted Stalk)—	1 00		
G 33	1 00	4 00	
Small rose flowers,	1 00	4 00	
		9 00	
9 in. White,	75	3 00	
	75	4 00	
cornuti (Tall Meadow Rue): 2 to 3 ft. White	~~	4 00	
flowers,	75	4 00	
IARELLA cordifolia. 6 in. Small white flowers, .	50	3 00	
RADESCANTIA Virginica (Spiderwort). Flowers		4	
blue,	.75	4 00	
RILLIUM cernuum. Nodding white flowers. 1 ft.,	75	4 00	
grandiflorum. Pure white flowering bulbs,	50	2 00	12 00
erectum. Dark purple flowers, fine bulbs, var album. Greenish white flowers	75	3 00	
var. aibanii Greemsii wiite no wers,	1 00	4 00	
recurvatum. Leaves spotted, purple flowers, .	1 00	4 00	
sessile. Flowers dark purple, desirable,	1 00	4 00	
var. Californicum. Large white flowers, .	1 25		
erythrocarpum (Painted Trillium). Coll., .	1 00	5 00	
VULARIA grandiflora (Large Bellwort). Yellow	50	3 00	15 00
			15 00
flowers,		3 00	
flowers,	50	3 00	
flowers, perfoliata. Smaller than the last, sessilifolia. Sessile leaves, pretty,		3 00 3 00	15 00
flowers,	50		

	10	100	1,000
\$0	75	\$4 0	0
1	00	5 0	0
1	00		
1	00	4 0	0
	75	4 0	0
	75	4 0	0
	75	4 0	0 \$10 00
	75	4 0	0
1	00	4 0	0
1	00	4 0	0
	75	3 0	0 20 00
1	00	5 0	0
a page		PPP	PPPPPA
			8
			8
per	1,0	00.	(Q)
and	Mot	tled, (Cardinal 8
	1 1 1 1 1 1 1 1 1 Per p	\$0 75 1 00 1 00 1 00 75 75 75 75 1 00 1 00 75 1 00 27 27 27 27 27 27 27 27 27 27 27 27 27	\$0 75 \$4 0 1 00 5 0 1 00 4 0 75 3 0

BOG AND AQUATIC PLANTS.

	10	100	1,000
ACORUS Calamus (Sweet Flag). 2 ft. Coll.,	\$0 75	\$3 00	\$15 00
variegatus. Leaves striped with white, .	1 25		-
BRASENIA peltata. Small floating leaves; water. Coll.,	75	3 00	15 00
CALLA palustris (American Calla). Fine for bog. Coll.,	75	3 00	
CALTHA palustris. Large yellow flowers. Bog or			
garden,	75	3 00	
DARLINGTONIA Californica (Cal. Pitcher Plant), .	2 00		
DIONÆA muscipula (Venus' Fly Trap). Flowers white,	1 00	4 00	
DROSERA filiformis (Thread-Leaved Sundew). Neat,	50	3 00	
longifolia. Small white flowers. Bog,	50	3 00	
rotundifolia. Round leaves. Bog,	50	3 00	
HELONIAS bullata (Stud Flower). Beautiful pink		0 00	
	1 00	5 00	
flowers,	1 00	0 00	
	75	4 00	
Water. Coll.,	50	3 00	15 00
NASTURTIUM officinale (True Water Cress). Coll.,	50	2 00	10 00
NESÆA verticillata. A fine water shrub. Coll.,	75	4 00	15 00
NUPHAR advena (Common Yellow Lily). Large roots.	10	1 00	10 00
	1 00	5 00	
Coll.,	1 00	0 00	
Coll	1 00	5 00	30 00
Coll.,	1 00	5 00	00 00
ORONTIUM aquaticum. Small plants, velvety leaves.	1 00	5 00	
	75	4 00	
Coll.,	19	4 00	
	1 00	5 00	
plant,	1 00	5 00	
PUNTEDERIA COrdata. Spikes of blue nowers in water.	1 00	5 00	
Coll.,	1 00	5 00	
	75	9 00	
Coll.,	10	3 00	
flava (Trumpet Leaf). Flowers yellow; large	1 00	5 00	
plants,	$\frac{1}{2} \frac{00}{00}$	10 00	
Drummondii. Flowers purple; leaves 1 to 2 ft.,	2 00	10 00	

CADDACENIA Deitterine (Paynot Booked Bitcher I	Plant)		10	10	0	1,000
SARRACENIA Psittacina (Parrot-Beaked Pitcher I Flowers purple,			00	\$10	00	
rubra (Red-Flowered Trumpet Leaf). Fine;						
clumps,		1	50	6	00	
variolaris. Spotted-leaved; flowers yellow,		1	50	6	00	
TYPHA latifolia (Cat-Tail). 2 to 4 ft. Coll., .			75	4	00	
VACCINIUM macrocarpon (American Cranberry).						
Coll.,			25	1	50	\$ 5 0

SHRUBS DESIRABLE FOR THE BOG GARDEN.


Andromeda polifolia. 1 ft.
Azalea viscosa. 4 to 10 ft.
Cassandra calyculata. 1 ft.
Cephalanthus occidentalis. 4 ft.
Ilex verticillata. 3 ft.
Kalmia angustifolia. 1 ft.
glauca. 2 ft.

Ledum latifolium. 2 ft.
Nemopanthes Canadensis. 4 ft.
Nesæa verticillata. 2 ft.
Pyrus arbutifolia. 5 ft.
Rhodora Canadensis. 1 ft.
Vaccinium stramineum. 3 ft.
corymbosum. 5 to 10 ft.

ORCHIDS.

I offer in the following list of Orchids the greater share of the most desirable for cultivation found in the United States. Most of them are taken from their native habitat and transplanted into soil best adapted for their growth.

		10	100	1,000
Aplectrum hyemale. Fine for moist shades,	\$1	00	\$ 5 00	
Arethusa bulbosa,	1	00		
Calopogon pulchellus. Desirable for the bog. Coll., .		50	3 00	
Calypso borealis. Showy pink flowers; damp shades.				
Coll.	1	00	5 00	
Cypripedium acaule (Red Lady Slipper). Dry shades,	1	00	5 00	
		00	15 00	
candidum. White,	-	00	10 00	
fasciculatum.		00	15 00	
montanum. White.		50	8 00	
montanum. White, parviflorum. Small yellow, pubescens. Large yellow. Fine,			8 00	
pubescens. Large vellow. Fine.	1	50	8 00	
SPECTABILE. Large white and pink—	_	00	0 00	
	2	00	10 00	
1–3 crown,		00	15 00	
Goodyera Menziesii. Flowers white, leaves spotted.		00	10 00	
Coll.	1	00	5 00	
Coll.,		50	3 00	\$15 00
repens.	1	00	0 00	Ψ10 00
repens, var. Bright markings,	1	00		
var. Bright markings, Habenaria blepharioglottis (White-Fringed Orchid),	î	50		
bracteata. Greenish	1	00		
bracteata. Greenish,	1	25	6 00	
dilatata. White	1	25	6 00	
dilatata. White,	1	25	6 00	
hyperboria. White,	1	25		
obtusata. Small greenish,		75	4 00	
psychodes. Purple fringed,	1	25	6 00	
Liparis liliifolia. 4 in. Purplish flowers; moist shades,		75	4 00	
Læselii. Flowers greenish yellow; wet soils, .		75	4 00	
Listera convallarioides.		00		
Orchis spectabilis (Showy Orchid). Pink-purple				
flowers,	1	00	5 00	
Pogonia ophioglossoides. A bog plant with pale rose				
flowers,		75	4 00	15 00
Spiranthes cernua (Ladies' Tresses). Flowers white,		50	3 00	
Romanzoviana. X,		00		



FERN BOWER AT THE GILLETT NURSERIES.

FERNS.

The Ferns of New England are among the most charming of our hardy perennials. They are so easily grown that every park or yard may have them. If you wish to beautify a dark nook shut in by buildings or trees, where flowers will not thrive, try a few ferns and note the change. You can select from my list of about 40 kinds those suited for almost any situation that will sustain plant life.

		10	10	00	1,0	00
Adiantum pedatum (Maidenhair). Graceful; clumps,	\$0	75	\$4	00	\$25	00
Aspidium acrostichoides (Christmas Fern). Evergreen,		50	3	00	15	00
aculatum, var. Braunii. Evergreen. 1 to 2 ft.,	1	25	6	00		
Boottii. Intermediate between A. cristatum and A.						
spinulosum,	1	25	6	00		
cristatum. A low evergreen; moist shades, .		75	4	00		
var. Clintonianum. Much larger,	1	00	5	00		
Filix=mas (Male Fern). Beautiful and rare, .	1	25	7	00		
Goldianum. Broad, light green fronds. 2 to						
4 ft.,	1	25	7	00		
marginale. Dark evergreen; rocky places, .		75	3	00		
munitum. An evergreen from Oregon,	1	25	6	00		
Noveboracense. Moist, shady places,		75	3	00		
spinulosum. A finely cut evergreen,		75	4	00	20	00
var. dilatatum. Broad fronds,	1	25	6	00		
Thelypteris. Wet, open places; 1 ft.,		50	3	00		
Asplenium angustifolium. Rich shades. 1 to 3 ft.,	1	00	5	00		
ebeneum. Rocky places; dark stripes; 6 to 12 in.,		50	3	00	15	00
Filix=fœmina. Fine tall fern; easily grown, .		75	4	00	15	00
thelypteroides,		75	4	00		
Trichomanes . Evergreen; in tufts; 3 to 6 in., .		50	3	00		
Botrychium ternatum dissectum. Fine cut leaves.						
Coll.,		75	_	00		
obliquum. Oblique-leaved. Coll., .		75	4	00		
Virginicum. Light green; shades; 6 to 12 in., .		75	4	00		
Camptosorus rhizophyllus (Walking Leaf). Fine, .		50		00	15	00
Cheilanthes vestata. Evergreen; south; 2 to 12 in.,	1	00	4	00		
Cryptogramma acrostichoides. Fine clumps; 4 to 8 in.,	1			00		
Cystopteris bulbifera. Bright green fern; moist soil,		50		00		
fragilis. Finely cut fronds; rocks,		50	3	00	15	00
(We have nearly 20 000 of these hardy forms growing	in.	01112 1	nnveo	7777	and o	2011

(We have nearly 30,000 of these hardy ferns growing in our nursery, and can usually meet any demands.)



CLUMP OF FERNS IN SHADY CORNER.

		10		100	1,0	00
Dicksonia punctilobula. Forms large patches. 2 to 3 ft.,	\$0	75	\$3	00	\$12	00
Lygodium palmatum (Climbing Fern). Climbing over						
bushes. 1 to 3 ft. Coll.,	1	25	5	00		
Onoclea sensibilis (Sensitive Fern). Wet soils. 1 to 2 ft.,		50	3	00	15	00
struthiopteris (Ostrich Fern). Fine. 1 to 6 ft.,	1	25	6	00	12	00
Ophioglossum vulgatum (Adder's Tongue). Coll., .		75	4	00		
Osmunda gracilis (Flowering Fern). Large plants. Coll.,	1	00	5	00		
Claytoniana. Large clumps. 1 to 5 ft. Coll.,	1	00	5	00		
cinnamomea (Cinnamon Fern). 1 to 6 ft. Coll.,	1	00	5	00		
Pellæa atropurpurea (Cliff Brake). Dry cliffs, X,	1	25	6	00		
densa (Oregon Cliff Brake). Clumps. Coll.,	1	00	5	00		
gracilis. Fine for rock garden. 2 to 6 in.,	1	00	5	00		
Phegopteris Dryopteris (Beech Fern). 6 to 10 in. Neat,		75	4	00		
hexagonoptera. Broad fronds. 7 to 12 in.,		75	4	00		
polypodoides. Smaller and darker. 4 to 8 in., .		75	4	00		
Polypodium vulgare (Polypody). Evergreen, on rocks.						
3 to 6 in.,		50	3	00		
falcatum. From Oregon. Graceful. 6 to 15 in.,	1	25	5	00		
Woodsia Ilvensis. Dry, exposed rocks. Clumps, .		00	5	00		
obtusa. Rocks. Neat. 6 to 12 in.,		75	4	00		,
Woodwardia angustifolia (Chain Fern). Wet soils.						
Fine plants,	1	00	5	00		
Virginica. Wet soils. 2 to 3 ft. Coll., .	1	00	4	00	20	00

Club Mosses.

Luganodium danducidum (Cuanud Dina) Lund autan	10	100	1,000
Lycopodium dendroidum (Ground Pine). Used exten-	01 00	0= 00	
sively as Christmas green. 4 to 8 in. Coll.,		\$5 00	
lucidulum (Shining Club Moss). 3 to 8 in. Coll.,	75	3 00	
Selaginella apus. Light green creeper. Wet soils.			
Coll.,	50	3 00	\$15 00
rupestris. Little tufts, dry soils. 1 to 3 in.			
Coll.,	75	4 00	

Special Collection of Ferns.

The following collection of Ferns are made up to help in selecting for special wants, and should go by express or freight.

No. 1.- (\$3 00) For Open Sun Culture.

This collection is desirable for the open border, and, all being rather tall, can be grown as single specimens or for massing with or without flowers.

- 6 Onoclea struthiopteris,
- 24 Dicksonia punctilobula,
- 6 Osmunda Claytoniana,
- 6 Lygodium palmatum.

No. 2.—(\$3.00) For Dry, Shady Places.

These Ferns will grow in a dry, shady place. Plant them where flowers as a rule do not thrive.

- 12 Aspidium acrostichoides.
- 12 Dicksonia punctilobula,
- 12 Aspidium marginale,
- 12 Osmunda Claytoniana.

No. 3.—(\$3.00) For Moist. Shady Places.

This collection is very fine and easily handled in moist, shady places, also for large rockery.

- 6 Adiantum pedatum,
- 6 Aspidium cristatum,
- 6 Aspidium acrostichoides,
- 6 Aspidium spinulosum,
- 6 Asplenium thelypteroides,
- 6 Asplenium Filix-fæmina, 6 Phegopteris hexagonoptera,
- 6 Woodwardia angustifolia.
- 6 Aspidium marginale.

No. 4.—(\$3.00) For Wet, Open Ground.

These Ferns are very useful for border of a lake or low, wet ground.

- 12 Aspidium Thelypteris,
- 12 Onoclea sensibilis,

- 12 Osmunda regalis.
- 12 Woodwardia Virginica.

No. 5.—(\$3.00) Low Evergreen Ferns for Rockery in Shade.

This is a beautiful collection of low-growing Ferns and easily managed.

- 12 Asplenium ebeneum,
- 12 Asplenium Trichomanes,
- 12 Polypodium vulgare,
- 6 Woodsia obtusa.
- 12 Comptosorus rhizophyllus,

No. 6.—(\$3.00) Low Evergreen Ferns for Dry, Rocky Ledge.

- 12 Asplenium Trichomanes,
- 12 Polypodium vulgare,
- 12 Woodsia Ilvensis. 12 Cheilanthes vestata.

One-Half Any One of the Above Collections for \$1.75.

You will notice that some kinds are named in more than one collec-Such seem to thrive equally well in the localities named.

Address,

EDWARD GILLETT,

Southwick. Mass., U. S. A.